

Summary from the Improvement Plan - Batch 2
MATERI KAMARANDI LOT 1 BATCH 2

Item			04-50-003	04-50-004	04-50-006	04-50-007	04-50-009	05-50-004	05-05-002	05-05-003
KM		Bush/Site Clearing M2					Grubbing	ETL	Drains m3	
		Light	Heavy	Total	200-450	>450	m²	m³	Soft	Hard
11		320	32	352	-	-	280	10	271	27
12		8,000	800	8,800	-	-	7,000	10	1,744	174
13		8,000	800	8,800	-	-	7,000	10	1,561	156
14		8,000	800	8,800	-	-	7,000	10	1,420	142
15		8,000	800	8,800	-	-	7,000	10	2,392	239
16		8,000	800	8,800	-	-	7,000	10	2,392	239
17		8,000	800	8,800	-	-	7,000	10	2,392	239
18		8,000	800	8,800	-	-	7,000	10	2,392	239
19		8,000	800	8,800	-	-	7,000	10	1,744	174
Total		64,320	6,432	70,752	-	-	56,280	90	16,311	1,631

Item		08-60-025						08-80-001	08-60-019 & 08-60-020			08-50-005	08-50-006	08-70-009		10-60-001	14-60-001	
KM		CULVERTS(M)						Type (No)			T1 No	T2 No	T4 No	MITRE	C/ W	S/ C	Gravel (150mm) m3	ETB m3
	1200	900	600	Total	CD	AC	AD				No	m	L No	R No				
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
12	-	7	9	16	3	-	1	3	3	-	-	-	-	-	-	-	720	
13	-	5	6	11	2	-	-	2	2	-	-	-	-	-	-	-	720	
14	-	22	12	34	6	-	-	6	6	-	-	-	-	-	-	-	720	
15	-	62	6	68	8	-	-	8	8	-	-	-	-	-	-	-	-	
16	-	63	6	69	6	-	-	6	6	-	-	-	-	-	-	-	-	
17	-	24	6	30	5	-	-	5	5	-	-	-	-	-	-	-	-	
18	7	26	-	26	3	-	-	3	3	-	-	-	-	-	-	-	-	
19	-	15	-	15	1	-	-	1	1	-	-	-	-	-	-	-	720	

[illegible]

Quantity Assessment		County		Tharaka Nithi		From:		11+000		To:		12+000		Page:		2	
---------------------	--	--------	--	---------------	--	-------	--	--------	--	-----	--	--------	--	-------	--	---	--

Chainage:		11+000		11+200		11+400		11+600		11+800		12+000	
-----------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--

Measurements for Clearing:

		1 to 4 readings*																							
Bush Clearing		8	8		8	m	8	8	8		m	8	8	8		m	8	8	8		m	8	8	8	
Grass Cutting						m					m					m					m				
Grubbing		7	7		7	m	7	7	7		m	7	7	7		m	7	7	7		m	7	7	7	
0 Tree and Stump Removal		0				m	0				m	0				m	0				m	0			

Free Clearance Width for Calculating areas

		Aver. (m)				1 to 4 readings*							
Bush Clearing		8	8		8	8	8	8		8	8	8	
Grass Cutting													
Grubbing		7	7		7	7	7	7		7	7	7	
0 Tree and Stump Removal		0				0				0			

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of cut < 0.25m						cm	14				cm					cm	16				cm	18			

Height of Cut for calculating volumes

Height of cut < 0.25m																	

For Reshaping:

Existing Roads		13					36					10					20				cm	28			

Difference in Level between Exist. Camber and Side Drain for calculating volumes

Existing Roads		13					36					10					20				cm	28			

Quantities										Total this page	
Bush Clearing	1600	m2		1,600	m2		1,600	m2		1,600	8,000
Grass Cutting		m2			m2			m2			0
Grubbing	1400	m2		1,400	m2		1,400	m2		1,400	7,000
Tree and Stump Removal		No.		0	No.		0	No.		0	0
											0
Height of cut < 0.25m		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Height of cut > 0.25m		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Embankment		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Drains full re-construction		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Reshaping by Labour	400	m3 (insitu)		151	m3 (insitu)		432	m3 (insitu)		238	1,544
By Towed Grader / Labour		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
By Equipment Based Meth.		m3 (insitu)			m3 (insitu)			m3 (insitu)			0

Quantities verified and accepted by the Contractor	Name:	Date:	Signature:
For the Employer	Name:	Date:	Signature:

Quantity Assessment		County		Tharaka Nithi		From:		12+000		To:		13+000		Page:		3	
---------------------	--	--------	--	---------------	--	-------	--	--------	--	-----	--	--------	--	-------	--	---	--

Chainage:		12+000		12+200		12+400		12+600		12+800		13+000	
-----------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--

Measurements for Clearing:

		###				1 to 4 readings*)							
Bush Clearing		8	8			8				m	8	8	8
Grass Cutting										m			
Grubbing		7	7			7				m	7	7	7
0 Tree and Stump Removal		0				0				m	0		

Free Clearance Width for Calculating areas

										Aver. (m)		1 to 4 readings*)						
m		8	8			8				m	8	8	8		m	8	8	8
m										m					m			
m		7	7			7				m	7	7	7		m	7	7	7
m		0				0				m	0				m	0		

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of cut < 0.25m	23					cm	21					cm	8					cm					cm	8					cm
-----------------------	----	--	--	--	--	----	----	--	--	--	--	----	---	--	--	--	--	----	--	--	--	--	----	---	--	--	--	--	----

Height of Cut for calculating volumes

Height of cut < 0.25m	23					cm	21					cm	8					cm					cm	8					cm
-----------------------	----	--	--	--	--	----	----	--	--	--	--	----	---	--	--	--	--	----	--	--	--	--	----	---	--	--	--	--	----

For Reshaping:

Existing Roads	30						21						3						29					cm	21					cm
----------------	----	--	--	--	--	--	----	--	--	--	--	--	---	--	--	--	--	--	----	--	--	--	--	----	----	--	--	--	--	----

Difference in Level between Exist. Camber and Side Drain for calculating volumes

Existing Roads	30						21						3						29					cm	21					cm
----------------	----	--	--	--	--	--	----	--	--	--	--	--	---	--	--	--	--	--	----	--	--	--	--	----	----	--	--	--	--	----

Quantities										Total this page	
Bush Clearing	1600	m2		1,600	m2		1,600	m2		1,600	8,000
Grass Cutting		m2			m2			m2			0
Grubbing	1400	m2		1,400	m2		1,400	m2		1,400	7,000
Tree and Stump Removal		No.		0	No.		0	No.		0	0
											0
Height of cut < 0.25m		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Height of cut > 0.25m		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Embankment		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Drains full re-construction		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Reshaping by Labour		m3 (insitu)	313		m3 (insitu)	508		m3 (insitu)	227	313	1,361
By Towed Grader / Labour		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
By Equipment Based Meth.		m3 (insitu)			m3 (insitu)			m3 (insitu)			0

Quantities verified and accepted by the Contractor

For the Employer

Name: _____ Date: _____ Signature: _____

Name: _____ Date: _____ Signature: _____

[illegible]

Quantity Assessment		County		Tharaka Nithi		From:		13+000		To:		14+000		Page:		4	
---------------------	--	--------	--	---------------	--	-------	--	--------	--	-----	--	--------	--	-------	--	---	--

Chainage:		13+000		13+200		13+400		13+600		13+800		14+000	
-----------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--

Measurements for Clearing:

		###				1 to 4 readings*)								Free Clearance Width for Calculating areas				Aver. (m)				1 to 4 readings*)							
Bush Clearing		8	8	8	8	m	8	8	8	m	8	8	8	8	m	8	8	8	8	m	8	8	8	8	m				
Grass Cutting						m				m					m					m					m				
Grubbing		7	7	7	7	m	7	7	7	m	7	7	7	7	m	7	7	7	7	m	7	7	7	7	m				
0 Tree and Stump Removal		0				m	0			m	0				m	0				m	0				m				

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

		Height of Cut for calculating volumes																												
Height of cut < 0.25m						cm	22					cm	7					cm	18					cm	8					cm

For Reshaping:

		Difference in Level between Exist. Camber and Side Drain for calculating volumes																										
Existing Roads		16					36					44					18					cm	23					cm

Quantities

										Total this page
Bush Clearing	1600	m2	1,600	m2	1,600	m2	1,600	m2	1,600	8,000
Grass Cutting		m2		m2		m2		m2		0
Grubbing	1400	m2	1,400	m2	1,400	m2	1,400	m2	1,400	7,000
Tree and Stump Removal		No.	0	No.	0	No.	0	No.	0	0
										0
Height of cut < 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Height of cut > 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)	9	m3 (insitu)	4	13
Embankment		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Drains full re-construction		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Reshaping by Labour	367.2	m3 (insitu)	151	m3 (insitu)	65	m3 (insitu)	346	m3 (insitu)	292	1,220
By Towed Grader / Labour		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
By Equipment Based Meth.		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0

Quantities verified and accepted by the Contractor	Name:	Date:	Signature:
For the Employer	Name:	Date:	Signature:

Chain- age	Road Form	Earthworks/ Reshaping	Gravel	Improved Subgrade	Mitre drains	Catch water	Culverts						Head- walls	Scour Checks																			
							N/Ex	Chainage (m) New / Existing line		Length (m)	Ramp	T4=8 T3=			T2=1 T1=1	SM																	
								CD	AC								AD	Inlet (Material/Type)	Outlet (Material/Type)	= Material this sheet/ Spacing left (m) =	Spacing right (m) = =Total No. this sheet												
Additional Instruction as per Reference																																	
15+000	G	A	FILL	Heavy Grading																													
																	G	A	FILL	L	Heavy Grading												
																															G	A	FILL
																G	A	FILL	L	Heavy Grading													
																																G	A
																	G	A	FILL	L	Heavy Grading												
																																	G
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												
																	G	A	FILL	L	Heavy Grading												

Quantity Assessment		County		Tharaka Nithi		From:		14+000		To:		15+000		Page:		5	
---------------------	--	--------	--	---------------	--	-------	--	--------	--	-----	--	--------	--	-------	--	---	--

Chainage:		14+000		14+200		14+400		14+600		14+800		15+000	
-----------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--

Measurements for Clearing:

		1 to 4 readings*								
Bush Clearing	8	8		8		m	8	8		8
Grass Cutting						m				
Grubbing	7	7		7		m	7	7		7
0 Tree and Stump Removal	0					m	0			

Free Clearance Width for Calculating areas

		Aver. (m)				1 to 4 readings*					
m	8	8		8		m	8	8		8	m
m						m					m
m	7	7		7		m	7	7		7	m
m	0					m	0				m

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of cut < 0.25m	7					cm	9					cm						cm
-----------------------	---	--	--	--	--	----	---	--	--	--	--	----	--	--	--	--	--	----

Height of Cut for calculating volumes

						cm	1					cm	16					cm
--	--	--	--	--	--	----	---	--	--	--	--	----	----	--	--	--	--	----

For Reshaping:

Existing Roads	12						10						7					10					cm	8					cm
----------------	----	--	--	--	--	--	----	--	--	--	--	--	---	--	--	--	--	----	--	--	--	--	----	---	--	--	--	--	----

Difference in Level between Exist. Camber and Side Drain for calculating volumes

Quantities										Total this page	
Bush Clearing	1600	m2		1,600	m2		1,600	m2		1,600	8,000
Grass Cutting		m2			m2			m2			0
Grubbing	1400	m2		1,400	m2		1,400	m2		1,400	7,000
Tree and Stump Removal		No.		0	No.		0	No.		0	0
										0	
Height of cut < 0.25m		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Height of cut > 0.25m		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Embankment		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Drains full re-construction		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Reshaping by Labour	410	m3 (insitu)		432	m3 (insitu)		464	m3 (insitu)		432	2,192
By Towed Grader / Labour		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
By Equipment Based Meth.		m3 (insitu)			m3 (insitu)			m3 (insitu)			0

Quantities verified and accepted by the Contractor

For the Employer

Name: _____ Date: _____ Signature: _____

Name: _____ Date: _____ Signature: _____

Quantity Assessment		County		Tharaka Nithi		From:		15+000		To:		16+000		Page:		6	
---------------------	--	--------	--	---------------	--	-------	--	--------	--	-----	--	--------	--	-------	--	---	--

Chainage:		15+000		15+200		15+400		15+600		15+800		16+000	
-----------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--

Measurements for Clearing:

		1 to 4 readings*								
Bush Clearing	8	8		8		m	8	8		8
Grass Cutting						m				
Grubbing	7	7		7		m	7	7		7
0 Tree and Stump Removal	0					m	0			

Free Clearance Width for Calculating areas

		Aver. (m)				1 to 4 readings*					
m	8	8		8		m	8	8		8	m
m						m					m
m	7	7		7		m	7	7		7	m
m	0					m	0				m

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of cut < 0.25m	7					cm	9					cm						cm
-----------------------	---	--	--	--	--	----	---	--	--	--	--	----	--	--	--	--	--	----

Height of Cut for calculating volumes

						cm	1					cm	16					cm
--	--	--	--	--	--	----	---	--	--	--	--	----	----	--	--	--	--	----

For Reshaping:

Existing Roads	12						10						7					10					cm	8					cm
----------------	----	--	--	--	--	--	----	--	--	--	--	--	---	--	--	--	--	----	--	--	--	--	----	---	--	--	--	--	----

Difference in Level between Exist. Camber and Side Drain for calculating volumes

Quantities										Total this page	
Bush Clearing	1600	m2		1,600	m2		1,600	m2		1,600	8,000
Grass Cutting		m2			m2			m2			0
Grubbing	1400	m2		1,400	m2		1,400	m2		1,400	7,000
Tree and Stump Removal		No.		0	No.		0	No.		0	0
											0
Height of cut < 0.25m		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Height of cut > 0.25m		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Embankment		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Drains full re-construction		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Reshaping by Labour	410	m3 (insitu)		432	m3 (insitu)		464	m3 (insitu)		432	2,192
By Towed Grader / Labour		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
By Equipment Based Meth.		m3 (insitu)			m3 (insitu)			m3 (insitu)			0

Quantities verified and accepted by the Contractor

For the Employer

Name: _____ Date: _____ Signature: _____

Name: _____ Date: _____ Signature: _____

Quantity Assessment		County		Tharaka Nithi		From:		16+000		To:		17+000		Page:		7	
---------------------	--	--------	--	---------------	--	-------	--	--------	--	-----	--	--------	--	-------	--	---	--

Chainage:		16+000		16+200		16+400		16+600		16+800		17+000	
-----------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--

Measurements for Clearing:

		1 to 4 readings*								
Bush Clearing	8	8		8		m	8	8		8
Grass Cutting						m				
Grubbing	7	7		7		m	7	7		7
0 Tree and Stump Removal	0					m	0			

Free Clearance Width for Calculating areas

		Aver. (m)				1 to 4 readings*					
m	8	8		8		m	8	8		8	m
m						m					m
m	7	7		7		m	7	7		7	m
m	0					m	0				m

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of cut < 0.25m	7					cm	9					cm						cm
-----------------------	---	--	--	--	--	----	---	--	--	--	--	----	--	--	--	--	--	----

Height of Cut for calculating volumes

						cm	1					cm	16					cm
--	--	--	--	--	--	----	---	--	--	--	--	----	----	--	--	--	--	----

For Reshaping:

Existing Roads	12						10						7					10					cm	8					cm
----------------	----	--	--	--	--	--	----	--	--	--	--	--	---	--	--	--	--	----	--	--	--	--	----	---	--	--	--	--	----

Difference in Level between Exist. Camber and Side Drain for calculating volumes

Quantities										Total this page	
Bush Clearing	1600	m2		1,600	m2		1,600	m2		1,600	8,000
Grass Cutting		m2			m2			m2			0
Grubbing	1400	m2		1,400	m2		1,400	m2		1,400	7,000
Tree and Stump Removal		No.		0	No.		0	No.		0	0
										0	
Height of cut < 0.25m		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Height of cut > 0.25m		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Embankment		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Drains full re-construction		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Reshaping by Labour	410	m3 (insitu)		432	m3 (insitu)		464	m3 (insitu)		432	2,192
By Towed Grader / Labour		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
By Equipment Based Meth.		m3 (insitu)			m3 (insitu)			m3 (insitu)			0

Quantities verified and accepted by the Contractor

For the Employer

Name: _____ Date: _____ Signature: _____

Name: _____ Date: _____ Signature: _____

Quantity Assessment		County		Tharaka Nithi		From:		17+000		To:		18+000		Page:		8	
---------------------	--	--------	--	---------------	--	-------	--	--------	--	-----	--	--------	--	-------	--	---	--

Chainage:		17+000		17+200		17+400		17+600		17+800		18+000	
-----------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--

Measurements for Clearing:

		1 to 4 readings*										
Bush Clearing	8	8		8			m	8	8		8	
Grass Cutting							m					
Grubbing	7	7		7			m	7	7		7	
0 Tree and Stump Removal	0						m	0				

Free Clearance Width for Calculating areas

		Aver. (m)					1 to 4 readings*						
m	8	8		8			m	8	8		8		m
m							m						m
m	7	7		7			m	7	7		7		m
m	0						m	0					m

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of cut < 0.25m	7					cm	9				cm					cm	16				cm
-----------------------	---	--	--	--	--	----	---	--	--	--	----	--	--	--	--	----	----	--	--	--	----

Height of Cut for calculating volumes

						cm	1				cm					cm
--	--	--	--	--	--	----	---	--	--	--	----	--	--	--	--	----

For Reshaping:

Existing Roads	12						10								cm	8				cm
----------------	----	--	--	--	--	--	----	--	--	--	--	--	--	--	----	---	--	--	--	----

Difference in Level between Exist. Camber and Side Drain for calculating volumes

							7								cm				cm
--	--	--	--	--	--	--	---	--	--	--	--	--	--	--	----	--	--	--	----

Quantities										Total this page	
Bush Clearing	1600	m2		1,600	m2		1,600	m2		1,600	8,000
Grass Cutting		m2			m2			m2			0
Grubbing	1400	m2		1,400	m2		1,400	m2		1,400	7,000
Tree and Stump Removal		No.		0	No.		0	No.		0	0
										0	
Height of cut < 0.25m		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Height of cut > 0.25m		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Embankment		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Drains full re-construction		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Reshaping by Labour	410	m3 (insitu)		432	m3 (insitu)		464	m3 (insitu)		454	2,192
By Towed Grader / Labour		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
By Equipment Based Meth.		m3 (insitu)			m3 (insitu)			m3 (insitu)			0

Quantities verified and accepted by the Contractor

For the Employer

Name: _____ Date: _____ Signature: _____

Name: _____ Date: _____ Signature: _____

Quantity Assessment		County		Tharaka Nithi		From:		18+000		To:		18+960		Page:		9	
---------------------	--	--------	--	---------------	--	-------	--	--------	--	-----	--	--------	--	-------	--	---	--

Chainage:		18+000		18+200		18+400		18+600		18+800		19+000	
-----------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--

Measurements for Clearing:

		1 to 4 readings*										
Bush Clearing	8	8		8			m	8	8		8	
Grass Cutting							m					
Grubbing	7	7		7			m	7	7		7	
0 Tree and Stump Removal	0						m	0				

Free Clearance Width for Calculating areas

		Aver. (m)					1 to 4 readings*						
m	8	8		8			m	8	8		8		m
m							m						m
m	7	7		7			m	7	7		7		m
m	0						m	0					m

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of cut < 0.25m	7					cm	9				cm				cm	16				cm
-----------------------	---	--	--	--	--	----	---	--	--	--	----	--	--	--	----	----	--	--	--	----

Height of Cut for calculating volumes

						cm	1				cm				cm
--	--	--	--	--	--	----	---	--	--	--	----	--	--	--	----

For Reshaping:

Existing Roads	12						10					7				10				8				cm
----------------	----	--	--	--	--	--	----	--	--	--	--	---	--	--	--	----	--	--	--	---	--	--	--	----

Difference in Level between Exist. Camber and Side Drain for calculating volumes

																								cm
--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	----

Quantities										Total this page	
Bush Clearing	1600	m2		1,600	m2		1,600	m2		1,280	7,680
Grass Cutting		m2			m2			m2			0
Grubbing	1400	m2		1,400	m2		1,400	m2		1,120	6,720
Tree and Stump Removal		No.		0	No.		0	No.		0	0
											0
Height of cut < 0.25m		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Height of cut > 0.25m		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Embankment		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Drains full re-construction		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
Reshaping by Labour	410	m3 (insitu)		432	m3 (insitu)		464	m3 (insitu)		363	2,102
By Towed Grader / Labour		m3 (insitu)			m3 (insitu)			m3 (insitu)			0
By Equipment Based Meth.		m3 (insitu)			m3 (insitu)			m3 (insitu)			0

Quantities verified and accepted by the Contractor

For the Employer

Name: _____ Date: _____ Signature: _____

Name: _____ Date: _____ Signature: _____