

Summary from the Improvement Plan - Batch 2
SOSIAN MOUWARAK BATCH 2

Item		04-50-003	04-50-004	04-50-006	04-50-007	04-50-009	05-50-004	05-05-002	05-05-003
KM	Bush/Site Clearing M2					Grubbing	ETL	Drains m3	
	Light	Heavy	Total	200-450	>450	m ²	m ³	Soft	Hard
1	8,000	800	8,800	-	-	7,000	10	1,874	187
2	8,000	800	8,800	-	-	7,000	10	1,744	174
3	8,000	800	8,800	-	-	7,000	10	1,561	156
4	8,000	800	8,800	-	-	7,000	10	1,420	142
5	8,000	800	8,800	-	-	7,000	10	2,392	239
6	8,000	800	8,800	-	-	7,000	10	2,392	239
7	8,000	800	8,800	-	-	7,000	10	2,392	239
8	8,000	800	8,800	-	-	7,000	10	2,392	239
9	8,000	800	8,800	-	-	7,000	10	2,392	239
10	8,000	800	8,800	-	-	7,000	10	2,392	239
11	8,000	800	8,800	-	-	7,000	10	2,392	239
12	4,800	480	5,280	-	-	4,200	10	1,507	151
Total	92,800	9,280	102,080	-	-	81,200	120	24,853	2,485

Item	08-60-025						08-80-001	08-60-019 & 08-60-020			08-50-005	08-50-006	08-70-009	10-60-001
KM	CULVERTS(M)			Type (No)			T1 No	T2 No	T4 No	MITRE No	C/ W	S/ C		Gravel (150mm) m3
	900	600	Total	CD	AC	AD					m	L No	R No	
1	16	-	16	2	-	-	2	2	-	-	-	-	-	720
2	27	-	27	4	-	-	4	4	-	-	-	-	-	720
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	720
5	27	7	34	5	-	-	5	5	-	-	-	-	-	720
6	8	-	8	1	-	-	1	1	-	-	-	-	-	-
7	7	-	7	1	-	-	1	1	-	-	-	-	-	720
8	12	-	12	2	-	-	2	2	-	-	-	-	-	720
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	8	-	8	1	-	-	1	1	-	-	-	-	-	720
11	15	-	15	2	-	-	2	2	-	-	-	-	-	720
12	-	-	-	-	-	-	-	-	-	-	-	-	-	360
Total	122	7	128	18	-	-	18	18	-	-	-	-	-	6,120

[illegible]

Quantity Assessment	Road No.	County	Laikipia	From:	0+000	To:	1+000	Page:	1
---------------------	----------	--------	----------	-------	-------	-----	-------	-------	---

Chainage:	0+000	0+200	0+400	0+600	0+800	1+000
-----------	-------	-------	-------	-------	-------	-------

Measurements for Clearing:

	Aver. (m)	1 to 4 readings*)		
Bush Clearing	8	8	8	8
Grass Cutting				
Grubbing	7	7	7	7
0 Tree and Stump Removal	0			

Free Clearance Width for Calculating areas

	Aver. (m)	1 to 4 readings*)		
m	8	8	8	8
m				
m	7	7	7	7
m	0			

*) Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of Cut for calculating volumes

Height of cut < 0.25m	6				cm	8				cm	14				cm	19				cm	19				cm
-----------------------	---	--	--	--	----	---	--	--	--	----	----	--	--	--	----	----	--	--	--	----	----	--	--	--	----

For Reshaping:

Difference in Level between Exist. Camber and Side Drain for calculating volumes

Existing Roads	9					24					28					17				cm	17				cm
----------------	---	--	--	--	--	----	--	--	--	--	----	--	--	--	--	----	--	--	--	----	----	--	--	--	----

Quantities										Total this page
Bush Clearing	1600	m2	1,600	m2	1,600	m2	1,600	m2	1,600	8,000
Grass Cutting		m2		m2		m2		m2		0
Grubbing	1,400	m2	1,400	m2	1,400	m2	1,400	m2	1,400	7,000
Tree and Stump Removal	0	No.	0	No.	0	No.	0	No.	0	0
										0
Height of cut < 0.25m	0	m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Height of cut > 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Embankment		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Drains full re-construction		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Reshaping by Labour	443	m3 (insitu)	281	m3 (insitu)	238	m3 (insitu)	356	m3 (insitu)	356	1,674
By Towed Grader / Labour		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
By Equipment Based Meth.		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0

Quantities verified and accepted by the Contractor

For the Employer

Name:

Name:

Date:

Date:

Signature:

Signature:

Quantity Assessment		County		Laikipia		From:		1+000		To:		2+000		Page:		2																																																																																																																															
Chainage:		1+000		1+200		1+400		1+600		1+800		2+000																																																																																																																																			
Measurements for Clearing: Free Clearance Width for Calculating areas <table border="1"> <thead> <tr> <th colspan="2"></th> <th colspan="4">1 to 4 readings*</th> <th></th> <th colspan="4"></th> <th></th> <th colspan="4"></th> <th></th> <th colspan="4">Aver. (m)</th> <th colspan="4">1 to 4 readings*</th> <th></th> </tr> </thead> <tbody> <tr> <td>Bush Clearing</td> <td>8</td> <td>8</td> <td></td> <td>8</td> <td></td> <td>m</td> <td>8</td> <td>8</td> <td></td> <td>8</td> <td></td> <td>m</td> <td>8</td> <td>8</td> <td></td> <td>8</td> <td></td> <td>m</td> <td>8</td> <td>8</td> <td></td> <td>8</td> <td></td> <td>m</td> </tr> <tr> <td>Grass Cutting</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>m</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>m</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>m</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>m</td> </tr> <tr> <td>Grubbing</td> <td>7</td> <td>7</td> <td></td> <td>7</td> <td></td> <td>m</td> <td>7</td> <td>7</td> <td></td> <td>7</td> <td></td> <td>m</td> <td>7</td> <td>7</td> <td></td> <td>7</td> <td></td> <td>m</td> <td>7</td> <td>7</td> <td></td> <td>7</td> <td></td> <td>m</td> </tr> <tr> <td>0 Tree and Stump Removal</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td>m</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td>m</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td>m</td> <td>0</td> <td></td> <td></td> <td></td> <td></td> <td>m</td> </tr> </tbody> </table>																				1 to 4 readings*															Aver. (m)				1 to 4 readings*					Bush Clearing	8	8		8		m	8	8		8		m	8	8		8		m	8	8		8		m	Grass Cutting						m						m						m						m	Grubbing	7	7		7		m	7	7		7		m	7	7		7		m	7	7		7		m	0 Tree and Stump Removal	0					m	0					m	0					m	0					m
		1 to 4 readings*															Aver. (m)				1 to 4 readings*																																																																																																																										
Bush Clearing	8	8		8		m	8	8		8		m	8	8		8		m	8	8		8		m																																																																																																																							
Grass Cutting						m						m						m						m																																																																																																																							
Grubbing	7	7		7		m	7	7		7		m	7	7		7		m	7	7		7		m																																																																																																																							
0 Tree and Stump Removal	0					m	0					m	0					m	0					m																																																																																																																							
Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).																																																																																																																																															
Estimated measurements for small cut to fill: Height of Cut for calculating volumes <table border="1"> <tbody> <tr> <td>Height of cut < 0.25m</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>14</td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>16</td> <td></td> <td></td> <td></td> <td></td> <td>cm</td> <td>18</td> <td></td> <td></td> <td></td> <td>cm</td> </tr> </tbody> </table>																		Height of cut < 0.25m						cm	14					cm					cm	16					cm	18				cm																																																																																																	
Height of cut < 0.25m						cm	14					cm					cm	16					cm	18				cm																																																																																																																			
For Reshaping: Difference in Level between Exist. Camber and Side Drain for calculating volumes <table border="1"> <tbody> <tr> <td>Existing Roads</td> <td>13</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>36</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>10</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>20</td> <td></td> <td></td> <td></td> <td>cm</td> <td>28</td> <td></td> <td></td> <td></td> <td>cm</td> </tr> </tbody> </table>																		Existing Roads	13						36						10						20				cm	28				cm																																																																																																	
Existing Roads	13						36						10						20				cm	28				cm																																																																																																																			
Quantities																																																																																																																																															
																Total this page																																																																																																																															
Bush Clearing	1600	m2	1,600	m2	1,600	m2	1,600	m2	1,600	m2	1,600					8,000																																																																																																																															
Grass Cutting		m2		m2		m2		m2		m2						0																																																																																																																															
Grubbing	1400	m2	1,400	m2	1,400	m2	1,400	m2	1,400	m2	1,400					7,000																																																																																																																															
Tree and Stump Removal		No.	0	No.	0	No.	0	No.	0	No.	0					0																																																																																																																															
																0																																																																																																																															
Height of cut < 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)						0																																																																																																																															
Height of cut > 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)						0																																																																																																																															
Embankment		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)						0																																																																																																																															
Drains full re-construction		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)						0																																																																																																																															
Reshaping by Labour	400	m3 (insitu)	151	m3 (insitu)	432	m3 (insitu)	324	m3 (insitu)	238					1,544																																																																																																																																	
By Towed Grader / Labour		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)						0																																																																																																																																	
By Equipment Based Meth.		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)						0																																																																																																																																	
Quantities verified and accepted by the Contractor Name: Date: Signature:																																																																																																																																															
For the Employer Name: Date: Signature:																																																																																																																																															

Quantity Assessment		County		Laikipia		From:		2+000		To:		3+000		Page:		3	
---------------------	--	--------	--	----------	--	-------	--	-------	--	-----	--	-------	--	-------	--	---	--

Chainage:		2+000		2+200		2+400		2+600		2+800		3+000	
-----------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--

Measurements for Clearing:

	###	1 to 4 readings*								
Bush Clearing	8	8			8		m	8	8	8
Grass Cutting							m			
Grubbing	7	7			7		m	7	7	7
0 Tree and Stump Removal	0						m	0		

Free Clearance Width for Calculating areas

											Aver. (m)				1 to 4 readings*				
m	8	8			8		m	8	8		8		m	8	8		8		m
m							m						m						m
m	7	7			7		m	7	7		7		m	7	7		7		m
m	0						m	0					m	0					m

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of cut < 0.25m	23						cm	21					cm	8					cm	8					cm
-----------------------	----	--	--	--	--	--	----	----	--	--	--	--	----	---	--	--	--	--	----	---	--	--	--	--	----

Height of Cut for calculating volumes

Height of cut < 0.25m	23						cm	21					cm	8					cm	8					cm
-----------------------	----	--	--	--	--	--	----	----	--	--	--	--	----	---	--	--	--	--	----	---	--	--	--	--	----

For Reshaping:

Existing Roads	30							21					3					29					cm	21				cm
----------------	----	--	--	--	--	--	--	----	--	--	--	--	---	--	--	--	--	----	--	--	--	--	----	----	--	--	--	----

Difference in Level between Exist. Camber and Side Drain for calculating volumes

Existing Roads	30							21					3					29					cm	21				cm
----------------	----	--	--	--	--	--	--	----	--	--	--	--	---	--	--	--	--	----	--	--	--	--	----	----	--	--	--	----

Quantities										Total this page
Bush Clearing	1600	m2	1,600	m2	1,600	m2	1,600	m2	1,600	8,000
Grass Cutting		m2		m2		m2		m2		0
Grubbing	1400	m2	1,400	m2	1,400	m2	1,400	m2	1,400	7,000
Tree and Stump Removal		No.	0	No.	0	No.	0	No.	0	0
										0
Height of cut < 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Height of cut > 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Embankment		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Drains full re-construction		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Reshaping by Labour		m3 (insitu)	313	m3 (insitu)	508	m3 (insitu)	227	m3 (insitu)	313	1,361
By Towed Grader / Labour		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
By Equipment Based Meth.		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0

Quantities verified and accepted by the Contractor

For the Employer

Name: _____ Date: _____ Signature: _____

Name: _____ Date: _____ Signature: _____

Quantity Assessment		County		Laikipia		From:		3+000		To:		4+000		Page:		4		
Chainage:		3+000		3+200		3+400		3+600		3+800		4+000						
Measurements for Clearing:		###		1 to 4 readings*)				Free Clearance Width for Calculating areas				Aver. (m)		1 to 4 readings*)				
Bush Clearing	8	8	8	8	m	8	8	8	8	m	8	8	8	8	m	8	8	
Grass Cutting					m					m					m			
Grubbing	7	7	7	7	m	7	7	7	7	m	7	7	7	7	m	7	7	
0 Tree and Stump Removal	0				m	0				m	0				m	0		
Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).																		
Estimated measurements for small cut to fill:				Height of Cut for calculating volumes														
Height of cut < 0.25m					cm	22				cm	7				cm	18		
For Reshaping:				Difference in Level between Exist. Camber and Side Drain for calculating volumes														
Existing Roads	16					36				44					cm	23		
Quantities																		
Bush Clearing	1600	m2	1,600	m2	1,600	m2	1,600	m2	1,600	m2	1,600	Total this page	8,000					
Grass Cutting		m2		m2		m2		m2		m2		Total this page	0					
Grubbing	1400	m2	1,400	m2	1,400	m2	1,400	m2	1,400	m2	1,400	Total this page	7,000					
Tree and Stump Removal		No.	0	No.	0	No.	0	No.	0	No.	0	Total this page	0					
Height of cut < 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		Total this page	0					
Height of cut > 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)	9	m3 (insitu)	4	m3 (insitu)		Total this page	13					
Embankment		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		Total this page	0					
Drains full re-construction		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		Total this page	0					
Reshaping by Labour	367.2	m3 (insitu)	151	m3 (insitu)	65	m3 (insitu)	346	m3 (insitu)	292	m3 (insitu)		Total this page	1,220					
By Towed Grader / Labour		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		Total this page	0					
By Equipment Based Meth.		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		Total this page	0					
Quantities verified and accepted by the Contractor													Name:		Date:		Signature:	
For the Employer													Name:		Date:		Signature:	

[illegible]

Quantity Assessment		County		Laikipia		From:		4+000		To:		5+000		Page:		5	
---------------------	--	--------	--	----------	--	-------	--	-------	--	-----	--	-------	--	-------	--	---	--

Chainage:		4+000		4+200		4+400		4+600		4+800		5+000	
-----------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--

Measurements for Clearing:

		1 to 4 readings*								
Bush Clearing	8	8		8			m	8	8	8
Grass Cutting							m			
Grubbing	7	7		7			m	7	7	7
0 Tree and Stump Removal	0						m	0		

Free Clearance Width for Calculating areas

		Aver. (m)					1 to 4 readings*						
m	8	8		8			m	8	8	8		m	
m							m					m	m
m	7	7		7			m	7	7	7		m	m
m	0						m	0				m	m

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of cut < 0.25m	7					cm	9				cm	1				cm	16				cm
-----------------------	---	--	--	--	--	----	---	--	--	--	----	---	--	--	--	----	----	--	--	--	----

Height of Cut for calculating volumes

For Reshaping:

Existing Roads	12						10					7					10				cm	8				cm
----------------	----	--	--	--	--	--	----	--	--	--	--	---	--	--	--	--	----	--	--	--	----	---	--	--	--	----

Difference in Level between Exist. Camber and Side Drain for calculating volumes

Quantities										Total this page
Bush Clearing	1600	m2	1,600	m2	1,600	m2	1,600	m2	1,600	8,000
Grass Cutting		m2		m2		m2		m2		0
Grubbing	1400	m2	1,400	m2	1,400	m2	1,400	m2	1,400	7,000
Tree and Stump Removal		No.	0	No.	0	No.	0	No.	0	0
										0
Height of cut < 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Height of cut > 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Embankment		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Drains full re-construction		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Reshaping by Labour	410	m3 (insitu)	432	m3 (insitu)	464	m3 (insitu)	432	m3 (insitu)	454	2,192
By Towed Grader / Labour		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
By Equipment Based Meth.		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0

Quantities verified and accepted by the Contractor

For the Employer

Name: _____ Date: _____ Signature: _____

Name: _____ Date: _____ Signature: _____

[illegible]

Quantity Assessment		County		Laikipia		From:		5+000		To:		6+000		Page:		6	
---------------------	--	--------	--	----------	--	-------	--	-------	--	-----	--	-------	--	-------	--	---	--

Chainage:		5+000		5+200		5+400		5+600		5+800		6+000	
-----------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--

Measurements for Clearing:

		1 to 4 readings*								
Bush Clearing	8	8		8			m	8	8	8
Grass Cutting							m			
Grubbing	7	7		7			m	7	7	7
0 Tree and Stump Removal	0						m	0		

Free Clearance Width for Calculating areas

		Aver. (m)					1 to 4 readings*						
m	8	8		8			m	8	8	8		m	
m							m					m	m
m	7	7		7			m	7	7	7		m	m
m	0						m	0				m	m

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of cut < 0.25m	7					cm	9				cm	1				cm	16				cm
-----------------------	---	--	--	--	--	----	---	--	--	--	----	---	--	--	--	----	----	--	--	--	----

Height of Cut for calculating volumes

For Reshaping:

Existing Roads	12						10					7					10				cm	8				cm
----------------	----	--	--	--	--	--	----	--	--	--	--	---	--	--	--	--	----	--	--	--	----	---	--	--	--	----

Difference in Level between Exist. Camber and Side Drain for calculating volumes

Quantities										Total this page
Bush Clearing	1600	m2	1,600	m2	1,600	m2	1,600	m2	1,600	8,000
Grass Cutting		m2		m2		m2		m2		0
Grubbing	1400	m2	1,400	m2	1,400	m2	1,400	m2	1,400	7,000
Tree and Stump Removal		No.	0	No.	0	No.	0	No.	0	0
										0
Height of cut < 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Height of cut > 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Embankment		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Drains full re-construction		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Reshaping by Labour	410	m3 (insitu)	432	m3 (insitu)	464	m3 (insitu)	432	m3 (insitu)	454	2,192
By Towed Grader / Labour		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
By Equipment Based Meth.		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0

Quantities verified and accepted by the Contractor

For the Employer

Name: _____ Date: _____ Signature: _____

Name: _____ Date: _____ Signature: _____

Quantity Assessment		County		Laikipia		From:		6+000		To:		7+000		Page:		7	
---------------------	--	--------	--	----------	--	-------	--	-------	--	-----	--	-------	--	-------	--	---	--

Chainage:		6+000		6+200		6+400		6+600		6+800		7+000	
-----------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--

Measurements for Clearing:

		1 to 4 readings*								
Bush Clearing	8	8		8			m	8	8	8
Grass Cutting							m			
Grubbing	7	7		7			m	7	7	7
0 Tree and Stump Removal	0						m	0		

Free Clearance Width for Calculating areas

		Aver. (m)					1 to 4 readings*						
m	8	8		8			m	8	8	8		m	
m							m					m	m
m	7	7		7			m	7	7	7		m	m
m	0						m	0				m	m

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of cut < 0.25m	7					cm	9				cm	1				cm	16				cm
-----------------------	---	--	--	--	--	----	---	--	--	--	----	---	--	--	--	----	----	--	--	--	----

Height of Cut for calculating volumes

For Reshaping:

Existing Roads	12						10					7					10				cm	8				cm
----------------	----	--	--	--	--	--	----	--	--	--	--	---	--	--	--	--	----	--	--	--	----	---	--	--	--	----

Difference in Level between Exist. Camber and Side Drain for calculating volumes

Quantities										Total this page
Bush Clearing	1600	m2	1,600	m2	1,600	m2	1,600	m2	1,600	8,000
Grass Cutting		m2		m2		m2		m2		0
Grubbing	1400	m2	1,400	m2	1,400	m2	1,400	m2	1,400	7,000
Tree and Stump Removal		No.	0	No.	0	No.	0	No.	0	0
										0
Height of cut < 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Height of cut > 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Embankment		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Drains full re-construction		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Reshaping by Labour	410	m3 (insitu)	432	m3 (insitu)	464	m3 (insitu)	432	m3 (insitu)	454	2,192
By Towed Grader / Labour		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
By Equipment Based Meth.		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0

Quantities verified and accepted by the Contractor

For the Employer

Name: _____ Date: _____ Signature: _____

Name: _____ Date: _____ Signature: _____

Quantity Assessment		County		Laikipia		From: 7+000		To: 8+000		Page: 8	
---------------------	--	--------	--	----------	--	-------------	--	-----------	--	---------	--

Chainage:	7+000	7+200	7+400	7+600	7+800	8+000
-----------	-------	-------	-------	-------	-------	-------

Measurements for Clearing:

	1 to 4 readings*									
Bush Clearing	8	8		8			m	8	8	8
Grass Cutting										
Grubbing	7	7		7				7	7	7
0 Tree and Stump Removal	0							0		

Free Clearance Width for Calculating areas

	Aver. (m)						1 to 4 readings*				
m	8	8		8			m	8	8	8	m
m											
m	7	7		7				7	7	7	
m	0							0			

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of cut < 0.25m	7					cm	9				cm	1				cm	16				cm
-----------------------	---	--	--	--	--	----	---	--	--	--	----	---	--	--	--	----	----	--	--	--	----

Height of Cut for calculating volumes

For Reshaping:

Existing Roads	12						10					7					10					cm	8				cm
----------------	----	--	--	--	--	--	----	--	--	--	--	---	--	--	--	--	----	--	--	--	--	----	---	--	--	--	----

Difference in Level between Exist. Camber and Side Drain for calculating volumes

Quantities										Total this page	
Bush Clearing	1600	m2	1,600	m2	1,600	m2	1,600	m2	1,600	8,000	
Grass Cutting											0
Grubbing	1400		1,400		1,400		1,400		1,400	7,000	
Tree and Stump Removal			No.		0		No.		0	No.	0
										0	
Height of cut < 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0	
Height of cut > 0.25m										0	
Embankment										0	
Drains full re-construction										0	
Reshaping by Labour	410		432		464		432		454	2,192	
By Towed Grader / Labour										0	
By Equipment Based Meth.										0	

Quantities verified and accepted by the Contractor

For the Employer

Name: _____ Date: _____ Signature: _____

Name: _____ Date: _____ Signature: _____

[illegible]

Quantity Assessment		County		Laikipia		From:		8+000		To:		9+000		Page:		9	
---------------------	--	--------	--	----------	--	-------	--	-------	--	-----	--	-------	--	-------	--	---	--

Chainage:		8+000		8+200		8+400		8+600		8+800		9+000	
-----------	--	-------	--	-------	--	-------	--	-------	--	-------	--	-------	--

Measurements for Clearing:

		1 to 4 readings*								
Bush Clearing	8	8		8			m	8	8	8
Grass Cutting							m			
Grubbing	7	7		7			m	7	7	7
0 Tree and Stump Removal	0						m	0		

Free Clearance Width for Calculating areas

		Aver. (m)					1 to 4 readings*						
m	8	8		8			m	8	8	8		m	
m							m					m	m
m	7	7		7			m	7	7	7		m	m
m	0						m	0				m	m

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of cut < 0.25m	7					cm	9				cm	1				cm	16				cm
-----------------------	---	--	--	--	--	----	---	--	--	--	----	---	--	--	--	----	----	--	--	--	----

Height of Cut for calculating volumes

For Reshaping:

Existing Roads	12						10					7					10				cm	8				cm
----------------	----	--	--	--	--	--	----	--	--	--	--	---	--	--	--	--	----	--	--	--	----	---	--	--	--	----

Difference in Level between Exist. Camber and Side Drain for calculating volumes

Quantities										Total this page
Bush Clearing	1600	m2	1,600	m2	1,600	m2	1,600	m2	1,600	8,000
Grass Cutting		m2		m2		m2		m2		0
Grubbing	1400	m2	1,400	m2	1,400	m2	1,400	m2	1,400	7,000
Tree and Stump Removal		No.	0	No.	0	No.	0	No.	0	0
										0
Height of cut < 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Height of cut > 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Embankment		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Drains full re-construction		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Reshaping by Labour	410	m3 (insitu)	432	m3 (insitu)	464	m3 (insitu)	432	m3 (insitu)	454	2,192
By Towed Grader / Labour		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
By Equipment Based Meth.		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0

Quantities verified and accepted by the Contractor

For the Employer

Name: _____ Date: _____ Signature: _____

Name: _____ Date: _____ Signature: _____

[illegible]

Quantity Assessment		County		Laikipia		From:		9+000		To:		10+000		Page:		10	
---------------------	--	--------	--	----------	--	-------	--	-------	--	-----	--	--------	--	-------	--	----	--

Chainage:		9+000		9+200		9+400		9+600		9+800		10+000	
-----------	--	-------	--	-------	--	-------	--	-------	--	-------	--	--------	--

Measurements for Clearing:

		1 to 4 readings*								
Bush Clearing	8	8		8			m	8	8	8
Grass Cutting							m			
Grubbing	7	7		7			m	7	7	7
0 Tree and Stump Removal	0						m	0		

Free Clearance Width for Calculating areas

		Aver. (m)					1 to 4 readings*						
m	8	8		8			m	8	8	8		m	
m							m					m	m
m	7	7		7			m	7	7	7		m	m
m	0						m	0				m	m

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of cut < 0.25m	7					cm	9				cm	1				cm	16				cm
-----------------------	---	--	--	--	--	----	---	--	--	--	----	---	--	--	--	----	----	--	--	--	----

Height of Cut for calculating volumes

For Reshaping:

Existing Roads	12						10					7					10				cm	8				cm
----------------	----	--	--	--	--	--	----	--	--	--	--	---	--	--	--	--	----	--	--	--	----	---	--	--	--	----

Difference in Level between Exist. Camber and Side Drain for calculating volumes

Quantities										Total this page
Bush Clearing	1600	m2	1,600	m2	1,600	m2	1,600	m2	1,600	8,000
Grass Cutting		m2		m2		m2		m2		0
Grubbing	1400	m2	1,400	m2	1,400	m2	1,400	m2	1,400	7,000
Tree and Stump Removal		No.	0	No.	0	No.	0	No.	0	0
										0
Height of cut < 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Height of cut > 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Embankment		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Drains full re-construction		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Reshaping by Labour	410	m3 (insitu)	432	m3 (insitu)	464	m3 (insitu)	432	m3 (insitu)	454	2,192
By Towed Grader / Labour		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
By Equipment Based Meth.		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0

Quantities verified and accepted by the Contractor

For the Employer

Name: _____ Date: _____ Signature: _____

Name: _____ Date: _____ Signature: _____

Quantity Assessment		County		Laikipia		From:		10+000		To:		11+000		Page:		11	
---------------------	--	--------	--	----------	--	-------	--	--------	--	-----	--	--------	--	-------	--	----	--

Chainage:		10+000		10+200		10+400		10+600		10+800		11+000	
-----------	--	--------	--	--------	--	--------	--	--------	--	--------	--	--------	--

Measurements for Clearing:

		1 to 4 readings*										
Bush Clearing	8	8		8			m	8	8		8	
Grass Cutting							m					
Grubbing	7	7		7			m	7	7		7	
0 Tree and Stump Removal	0						m	0				

Free Clearance Width for Calculating areas

		Aver. (m)					1 to 4 readings*						
m	8	8		8			m	8	8		8		m
m							m						m
m	7	7		7			m	7	7		7		m
m	0						m	0					m

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:

Height of cut < 0.25m	7					cm	9				cm	1				cm	16				cm
-----------------------	---	--	--	--	--	----	---	--	--	--	----	---	--	--	--	----	----	--	--	--	----

Height of Cut for calculating volumes

For Reshaping:

Existing Roads	12						10					7					10				cm	8				cm
----------------	----	--	--	--	--	--	----	--	--	--	--	---	--	--	--	--	----	--	--	--	----	---	--	--	--	----

Difference in Level between Exist. Camber and Side Drain for calculating volumes

Quantities										Total this page
Bush Clearing	1600	m2	1,600	m2	1,600	m2	1,600	m2	1,600	8,000
Grass Cutting		m2		m2		m2		m2		0
Grubbing	1400	m2	1,400	m2	1,400	m2	1,400	m2	1,400	7,000
Tree and Stump Removal		No.	0	No.	0	No.	0	No.	0	0
										0
Height of cut < 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Height of cut > 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Embankment		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Drains full re-construction		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
Reshaping by Labour	410	m3 (insitu)	432	m3 (insitu)	464	m3 (insitu)	432	m3 (insitu)	454	2,192
By Towed Grader / Labour		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0
By Equipment Based Meth.		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0

Quantities verified and accepted by the Contractor

For the Employer

Name: _____ Date: _____ Signature: _____

Name: _____ Date: _____ Signature: _____

Quantity Assessment		County		Laikipia		From:		11+000		To:		11+549		Page:		12	
Chainage:		11+000		11+200		11+400		11+549									

Measurements for Clearing:																		Free Clearance Width for Calculating areas																	
1 to 4 readings*)																		Aver. (m) 1 to 4 readings*)																	
Bush Clearing	8	8		8			m	8	8		8			m	8	8		8			m							m							
Grass Cutting							m						m						m						m										
Grubbing	7	7		7			m	7	7		7			m	7	7		7			m						m								
0 Tree and Stump Removal	0						m	0					m	0					m						m										

Note: The user is free to select the number of reading required according to the site conditions. (min. 1 max. 4 for each section).

Estimated measurements for small cut to fill:																		Height of Cut for calculating volumes																	
Height of cut < 0.25m																		Height of cut > 0.25m																	
7																		9																	

For Reshaping:																		Difference in Level between Exist. Camber and Side Drain for calculating volumes																	
Existing Roads																		Existing Roads																	
12																		10																	
																		7																	

Quantities										Total this page	
Bush Clearing	1600	m2	1,600	m2	1,600	m2		m2		4,800	
Grass Cutting		m2		m2		m2		m2		0	
Grubbing	1400	m2	1,400	m2	1,400	m2		m2		4,200	
Tree and Stump Removal		No.	0	No.	0	No.		No.		0	
										0	
Height of cut < 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0	
Height of cut > 0.25m		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0	
Embankment		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0	
Drains full re-construction		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0	
Reshaping by Labour	410	m3 (insitu)	432	m3 (insitu)	464	m3 (insitu)		m3 (insitu)		1,307	
By Towed Grader / Labour		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0	
By Equipment Based Meth.		m3 (insitu)		m3 (insitu)		m3 (insitu)		m3 (insitu)		0	

Quantities verified and accepted by the Contractor				Name:		Date:		Signature:	
For the Employer				Name:		Date:		Signature:	